1st & final bill

M. A. R. 57 (Rule 116) **No. D**

Measurement Book

67432

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8

Name of work :- Providing drinking water works in ward No-15 in Dasarahalli Division

Estimate Cost :- Detailed Estamation for Establishment of R.O plant in ward No-15
RS 13.00 lakhs.

Job Code :- 015-17-000019, P code -3110

A.A No :- GE|DZ|AS|124|16-17, Dt. 14.03.17.

T.S No :- EE|DD|TS|134|17-18, Dt. 21.03.17.

W.O No :- EE|DD|WO|014|17-18, Dt. 07-08-17.

Agency :- KRIDL.

Recorded on :-

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	Item No:1 Earthwork excavation for foundation of buildings, Culverts, water supply, Sanitary lines & electrical conduits with in fab Plain trenches 1.5m & above in width in ordinary Soil after clearing of clods complete as per Specifications aty brought from this m/B vide page No 67475/4					aty ⇒ 7.65 cum	Carried out.
	@DS 188.65/- cu						1443.00/-
	Item No:2 providing & laying in position plain Cement Concrete of mix 1:4:8 with OPC Cement @ 180 KgS, with 40mm & down Size graded granite metal Coarse aggregates @ 0.85 & fine aggregates @ 0.57 cum machine mixed curing complete as per Specifications aty brought from this m/B vide page No 67475/1					aty ⇒ 2.07 cum	Carried out.

M. A. R. 57 (Rule 116) No. D 67433
Measurement Book

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
		@DS 4976.79 cu					10302.00/-
	Item No:3 providing & constructing granite / trap / basalt Size Stone masonry in foundation Cement mortar 1:6 Stone hammer dressed in courses Not less than 20cms high bonded curing complete as per Specifications. aty brought from this m/B vide page No 67476					aty ⇒ 4.82 cum	19563 : 00
	@DS 4958.74 cu						19573.00/-
							Carried out.

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Item No: 4 providing & Constructing Granite / Trap / basalt Rise Stone masonry in basement Cement mortar 1:6 Stone should be dressed on faces not less than 15 cms high bond curing complete as per Specifications.						
18.01.19	L.W	2	4.05	0.45	0.45	1.64 cum	
	S.W	2	2.60	0.45	0.45	1.05 cum	
						2.69 cum	
		@ Rs	4814.53	/m			1995/- on 12967.00
	Item No: 5 providing & constructing precast Concrete Solid blocks each Compressive Strength not less than 35 Kg/Sqm each Cement mortar 1:4 masonry with Solid Concrete blocks of Size 40x20x20 cms curing complete as per Specifications						

M. A. R. 57 (Rule 116) No. D 67434

Measurement Book

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	L.W	2	3.80		3.00	22.80 Sqm	
	S.W	2	3.00		3.00	18.00 - 11	
	Parapet	2	3.80		0.40	3.04 - 11	
03.10.2019		2	3.00		0.40	2.40 - 11	
	Steps.	4	3.05		0.15	1.83 - 11	
					Total qty:	48.07 Sqm	
	Deductions						
	Rolling Shutters	1	3.04		2.50	7.60 Sqm	

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Ventilators	2	0.20		0.60	1.08 -11	
	Lintels	2	3.80		0.20	1.52 -11	
		2	3.00		0.20	1.20 -11	
						∴ 11.40 Sqm	
		Net qty = 48.07 - 11.40				⇒ 36.67 Sqm.	
		@ Rs 999 = 58 Sqm					36655.00/-

Item No 6 Providing & laying in position Reinforced Cement Concrete of design mix M20 with OPC cement @ 320 Kgs, with 20mm & down Size graded granite metal coarse aggregate @ 0.878 cu.m & fine aggregate @ 0.459 cu.m with Super plasticiser machine mixed concrete laid in layers not

M. A. R. 57 (Rule 116) No. D

Measurement Book

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

67435

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	excluding 15mm thick vitrified including cost of all materials, labour, Hire of machinery lifting complete as per Specifications.						
	Plinth beam	2	3.80	0.20	0.20	0.304cum	
		2	3.00	0.20	0.20	0.24 -11	
	Lintels	2	3.80	0.20	0.20	0.30 -11	
		2	3.00	0.20	0.20	0.24-11	
						⇒ 1.09 cum	6631=00
		@ Rs 6083.34/cu					6631.00/-

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
Item No 7	providing & removing centering, shuttering, struting, propping etc. & removal of form work for vertical surface such as walls at any thickness, including complete as per specifications.						
	Plinth Beam	4	3.80		0.20	3.04 Sqm	
		4	3.00		0.20	2.40 -11-	
	Lintle	4	3.80		0.20	3.04 -11-	
		4	3.00		0.20	2.40 -11-	
						10.88 Sqm	
		@ Rs	301.04	Sqm			3275.00/-

16.10.2019

M. A. R. 57 (Rule 116) No. D
Measurement Book

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
Item No 8	filling available excavated earth in sides of foundations upto plinth in layers not exceeding 20cms in depth, compacting each deposited layer by labour complete as per specifications.						
	50% of the qty vide item No. 1				qty =	3.33 cum	Measured
		@ Rs	127.20	/cum			487.00/-
Item No 9	providing & fixing to wall, ceiling & floor galvanised mild steel tube 50mm dia nominal bore with fittings Nos of requirements & testing complete as per specifications						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		4	4.00			16.00 mtr	
		3	3.40			10.20 -"	
						26.20 mtr	Carried
		@ Rs	534.24/mtr				13997.00/-
Item No: 10	providing & fixing 6 mm Bronze anodised Wall Poly Carbonate Sheet for tubular Structure the work including cost of all materials, labour, charges & hire complete as per Specifications						
		1	4.00	3.50		14.00 Sqm	
		@ Rs	2521.74/Sqm				35304.00/-
							Carried

M. A. R. 57 (Rule 116) No. D 67437
Measurement Book

Serial No. .....
Name of work .....
Name of Contractor of nature of Agency ..... From ..... To .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
Item No: 11	providing & laying in position Reinforced Cement Concrete of design mix M20 with OPC cement @ 27.20 kg/, with 12 mm & down size of graded granite metal coarse aggregates @ 0.5865 cum & fine aggregates @ 0.391 cum with Superplasticizer @ 0.225 Ltrs including cost of all materials, labour, Hire of machinery curing complete as per specifications						
	Chujja	1	3.50	0.75		2.63 Sqm	
		2	1.20	0.75		1.80 -"	
						4.43 Sqm	2301.00
	@ Rs.	@ Rs	515.40/Sqm				2298.00/-
							Carried

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
Item No 12	providing & removing centering, shuttering, strutting, propping etc. for chajjas cornices etc. labour complete as per specifications.						
	Chajjas	1	3.50	0.75		2.63 Sqm	
		2	1.80	0.75		1.80 - 11	
						4.43 Sqm	
	@ Rs 278.78/Sqm						1234.00/-
Item No 13	providing 18 mm thick cement plaster in single coat with cement mortar 1:4 to brick masonry including cost of materials, labour, curing complete as per specifications						
	Out side plastering LW	2	3.50		3.00	21.00 Sqm	
	SW	2	3.00		3.00	18.00 - 11	
						39.00 Sqm	

M. A. R. 57 (Rule 116) No. D 67433
Measurement Book

Serial No. .....
Name of work .....
Name of Contractor of nature of Agency..... From ..... To .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
	Deductions Rolling Shutters ventilators	0.50	3.04		2.50	3.80 - 11	
		1	0.90		0.60	0.54 - 11	
						4.34 Sqm	
		Net qty	39.00 - 4.34			= 34.66 Sqm	Amount
	@ Rs 222.60/Sqm						7715.00/-
Item No 14	providing 18 mm thick cement plaster in single coat with cement mortar 1:4 to brick masonry including cost of materials, labour, curing complete as per specifications						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Inside plastering qty as per		Item No:-13				
						qty :- 34.66 Sqm	Carried
			@ Rs 222.60/Sqm				7715.00/-
Item No:-15	Providing lime rendering for plastering to wall & ceiling, including cost of materials complete as per Specifications.						
	qty vide Item No:-14						
						qty :- 34.66 Sqm	Carried
			@ Rs 25.44/Sqm				882.00/-
Item No:-16	Providing & applying two coats with out bound washable distemper of approved brand & shade on wall surface including priming coat						

M. A. R. 57 (Rule 116)

Measurement Book

No. D 67433

Serial No. .....

Name of work .....

Name of Contractor of nature of Agency ..... From ..... To .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Cost of materials labour complete as per Specifications						
	qty vide Item No:-14						
			@ Rs 68.96/Sqm			qty :- 34.66 Sqm	Carried
							2425.00/-
Item No:-17	Providing white washing to new wall surface in two coats with lime of approved quality complete as per Specifications.						
	qty vide Item No:-13						
			@ Rs 8.48/Sqm			qty :- 34.66 Sqm	Carried
							294.00/-

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Item No. 18 providing & applying enamel metal paint two coats over a nice Steel & other metal surface Rubbing the surface smooth & even Shade after cleaning oil complete as per Specifications						
	Rolling Shutters	2.25×2	3.04		0.50	34.20 Sqm	
	ventilators	1×2	0.50		0.60	1.08	
						35.28 Sqm	Carried
		@ Rs	83.74	Sqm			2954.00/-
	Item No. 19 providing & fixing Special make glazed vitrified tiles of approved make quality & colour of Size 600×600×10 mm thick complete including providing Spacers at required interval & removing stains etc. complete						
	floorin	1	3.50	3.00		10.50 Sqm	

M. A. R. 57 (Rule 116) No. D

Measurement Book

67440

Serial No. .....

Name of work .....

Name of Contractor of nature of Agency ..... From ..... To .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Wall portion	2	3.50		1.20	8.40	
		2	3.00		1.20	7.20	
						26.10 Sqm	Carried
		@ Rs	1216.88	Sqm			31761.00/-
	Item No. 20 providing & laying / fixing Cement base, precast, pre perforated Cement Conduit cabling not less 25 mm thick conforming heavy duty duties for flooring, Roads including cost of all materials taking complete as per Specifica						
		4	3.05		0.45	5.49 Sqm	
		@ Rs	1116.18	Sqm			6128.00/-
							Carried

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Item No. 21 providing & fixing in position ~~in~~ Cement Concrete 1:3:6 Steel glazed windows & ventilators Side hung / top hung fully openable as per approved drawings using 2 angles of 25 × 33 × 3 mm weighing 1.142 kg/m both for outer & inner frame & Central mullion Section of Size 25 × 16 × 3 mm weighing & furnishing with Two Coats of Ready mix Paint labour & Hoisting machinery Complete as per Specifications						
		2	0.90		0.60	1.08 Sqm	Carried
		@ Rs	3811.76/ Sqm				4117.00/-
	Item No. 22 providing T.M.T Steel Reinforcement for RCC work including Straightening Cutting ; bending Hooking, placing in position, lapping & / & welding wherever required tying with binding Hoisting & machinery Complete as per Specifications						

M. A. R. 57 (Rule 116) No. D

Measurement Book

67441

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	qty bought from stock on B			page No		6747601	
					qty 2)	0.150 Tonne	Carried
		@ Rs	68513.10	Tonne			84257.00/-
	Item No. 23 providing & fixing pull & push type Rolling Shutters of approved make out of 18 gauge 75mm wide Cold Rolled Steel slats of Convex Corrugation with Side guides & bottom Rail with interlocking arrangements for Steel work handles with all fittings & accessories painted with a coat of red lead paint Cost of materials Hoisting machinery Complete as per Specifications						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	9.00		2.50	7.50 tonne	Carried
		@ Rs 2838.68/tonne					21290.00/-
Item No: 94	Cutting of road surface for pipeline trenches & disposing of the excavated stuff as directed including chapicadding cement concrete road.						
		1	10.00	0.60	0.30	1.80 cum	Carried
		@ Rs 604.30/m					1088.00/-
Item No: 95	Earthwork excavation for foundation of buildings, water supply, sanitary lines & electrical conduits within 5m & in trenches 1.5m & above in width in hard soil after breaking of clods complete as per specifications						

M. A. R. 57 (Rule 116) No. D

Measurement Book

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

67442

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	C/Sh ... 09.11.2019	1	10.00	0.60	0.90	1.80 cum	Carried
		@ Rs 283.09/um					509.00/-
Item No: 96	providing & fixing in trenches galvanised/mild steel tubes 40mm dia nominal bore with all fittings incl of equipments & testing complete as per specifications						
		1	10.00			10.00 mtr	Carried
		@ N 399.62/mtr					3996.00/-

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00			30.00 mtr	carried
		@ Rs	53.00/mtr				1590.00/-
	Item No: 31 Supplying 7/TP ST with Retrievable circular channels in SM under cover made out of 1HSHG powder coated paint of approved colour 32 AMPS (work A						
		1	1.00			1.00 No	carried
		@ Rs	1868.00/No				1868.00/-
	Item No: 32 Supplying & fixing 20" x 20" x 2.5" polished wood board made up not less than 15 cm thick plank with front plank using through bolts & Nuts						
		1	1.00			1.00 No	carried
		@ Rs	302.00/No				302.00/-

M. A. R. 57 (Rule 116) No. D

Measurement Book

Serial No. .....

67444

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Item No: 33 Supplying & wiring adopting loop System in existing PVC conduits/ casing capping using Copper PVC insulated multi stranded 2 x 1.5 Sqmm copper wire Round block complete for each outlet						
	a) Short point upto 3 mts from tapping point to out let via switch						
		1	1.00			1 No	carried
		@ Rs	176.00/No				176.00/-
	b) long point upto 6 mts upto 10 mts from tapping point to out let via Switch						
		1	1.00			1.00 No	
		@ Rs	349.50/No				380.00/-
							carried

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
		1	1.00			1.00 No	Carried
		@ Rs 180.00/No					180.00/-
Item No 39	Supplying & fixing miniature Circuit Breakers / isolators on existing MCB distribution boards complete as required & AmPS						
		1	1.00			1.00 No	Carried
		@ Rs 1105.50/No					1106.00/-
Item No 40	Supplying & fixing Class-A (medium duty) GI pipe wall thickness not less than 3.25mm on pole for OH lable of 1.1 KV class 65mm.						
		1	9.00			9.00 Metre	Carried
		@ Rs 585.00/Meter					5265.00/-

M. A. R. 57 (Rule 116) No. D

Measurement Book

67446

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
Item No 41	Digging of trench of 0.6m wide x 0.90m wide for laying 1.1 KV class LT UG cable complete as per specification & direction of the Engineer-in-charge						
		1	47.00			47.00 mts	Carried
		@ Rs 106.00/mts					4982.00/-
Item No 42	Supplying laying of 1.1 KV class LT UG cable having aluminium conductor PVC insulated extruded inner sheated galvanised steel strip (except 2CX10 Sq m wire armoured of Group A 3 core to 25 Sq mm.						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
		1	1.00			1.00 No	Carried
		@ Rs	2727.00/No				2727.00/-
	Item No 47 Supplying fixing & wiring electronic 10 to 40 Amps 3 phase 4 wire class-1 accuracy energy meter Grade A.						
		1	1.00			2.00 No	Carried
		@ Rs	4532.00/No				4532.00/-
	Item No 48 Supplying 1×436/40 watts decorative horizontal type street light fluorescent fitting weather & water proof complete Group A energy saving electronic Ballast 230/250 volts 50 cycles AC Supply with opal frosted perspex cover at bottom complete fitting						

M. A. R. 57 (Rule 116) No. D

Measurement Book

67448

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
		1	1.00			1.00 No	Carried
		@ Rs	1501.50/No				1502.00/-
	Item No 49 Supplying & fixing 25/32 mm dia class A GI tube bracket upto 2 mtrs long bend at suitable angle & fixing to the bracket 1×40 12×40 watts mcfl & wiring using suitable capacity wires complete.						
		1	12.00			12.00 Nos	Carried
		@ Rs	671.00/No				8052.00/-
	Item No 50 providing Reverse osmosis Syptim to cons 2000 litres of High TDS water						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	Item No: 57 Supplying fixing PBBC bakelite Straight & Slant batten holder & wiring within 60W/230 volts lamp.						
		1	2.00			2.00 Nos	Carried
		@ Rs	60.00	/No		120.00	/-
	Item No: 58 Supply batty type flameproof dust light fitting made out of M.S Sheet & steel enamelled extra deep dish open construction type wound use on 230 volts AC Supply including fluorescent tube.						
		1	4.00			4.00 Nos	
		@ Rs	400.00	/No			1600.00/- Carried
	Item No: 59 wiring for lighting/power circuit using one of PVC insulated 1100 V						

M. A. R. 57 (Rule 116) No. D

Measurement Book

67452

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	grade, multistrand copper conductor single pole tumbler System of wiring						Open & Concealed Carried
		6	5.00			30.00 Points	
		@ Rs	15.00	/Point			450.00/-
	Item No: 60 Supplying & fixing cast aluminium round & along type bulkhead fitting with 6x2 wire guard glass globe with 60/100 watts 230V Lamp as required.						
		1	4.00			4.00 Nos	
		@ Rs	219.00	/No			876.00/- Carried

CTK 08.12.2017



MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	Item No: 61 Supplying & fixing piping, earth electrode for GI pipe conduits IC Cutouts & other equipments on the meter board using 40mm dia & 90mm thick GI pipe 2.5mts long buried in a pit the pit should be filled with equal proportion using 12mm dia bolts nuts washers & checknuts etc the pipe shall have of 125mm dia.						
		1	1.00			1.00 Nos	
	@ RS 2727.00/No						2727.00/-
					bill amount ⇒		1191918.00
							1191901 : 00
					KRIDL charges @ 9% ⇒		10727.00/-
					total amount ⇒		1299191.00/-
							1299172 : 00

Audited and admitted for Rs. 1299172 : 00
Passed by Cheque for Rs. 1149858 : 00
(Eleven lakh, Forty nine thousand Eight Hundred Fifty Eight Rupees)
in adj. 149314 : 00
Asst. Accounts Officer/Assistant
Exe. Engineer
E.E M.P. Dasarahalli Division

09/12/19



M. A. R. 57 (Rule 116)
Measurement Book

7453

Serial No. .....
Name of work ..... From ..... To .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	Twelve lakhs ninety nine thousand one hundred & ninety one Rupees only.						

Certificate

1) The work spot has been inspected is found to be necessary
2) The work spot comes under BJMP limits
3) The provisions made in the estimate are necessary & minimum.

ಇ. ದಾಸರಹಳ್ಳಿ ಉಪ ವಿಭಾಗ
ಬೆಂಗಳೂರು. 09.12.2019

09/

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8



AE

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು
ಜಿ. ದಾಸರಹಳ್ಳಿ ಉಪ ವಿಭಾಗ
ಬಾಗಲಗುಂಟೆ, ಜಿ.ಕೆ.ಎಂ.ಪಿ.
ಬೆಂಗಳೂರು-560073.

Scanned by CamScanner